



2020.1 NEW PRODUCT LAUNCH HIGHLIGHTS

Contact us:

CHIHUAHUA. CHIH
gerencianoeste@tannerherramientas.com
Tel: (614) 414 2223

GUAYMAS. SON
gerencianoeste@tannerherramientas.com
Tel: (622) 224 6081

QUERÉTARO. QRO
gerenciacentro@tannerherramientas.com
Tel: (442) 216 8862

Follow us on:



EL PASO. TX
texas@tannerherramientas.com
Tel: (915) 532 6165

MONTERREY. NL
gerencianoeste@tannerherramientas.com
Tel: (81) 8312 1711

TORREÓN. COAH
gerenciacoah@tannerherramientas.com
Tel: (871) 169 3540

2020.1

TOOLS AND SERVICES FOR ALL YOUR CHALLENGES

Manufacturers in all industries are facing more and more challenges whether aerospace, power generation, automotive, medical, or general engineering.

Seco Tools continues to develop innovative tools and solutions that help you save time and money and further improve quality, ensuring total customer satisfaction.

Finding the right tool to increase your productivity while decreasing cost can be difficult, but we believe a solution for you is out there among our wide array of products.



Gain full access to additional product information such as dimensions, cutting data, product numbers and more.

Visit: SECOTOOLS.COM today!



SMALL-PART TURNING MADE EASY

MODULAR QUICK-CHANGE (QC) TOOLHOLDER FOR SMALL PARTS

Increase productivity in your shop by decreasing machining downtime between tool changes using the new Modular QC Toolholder for Swiss machining.

YOUR BENEFITS

- Consistent reliability from tight tolerances on the interface
- Fast and easy head exchange with the secure single-lock system
- Predictable tool life with Seco Jetstream Tooling®
- Precision insert positioning due to patented carbide pin pocket design

RANGE OVERVIEW

Shanks

- Metric sizes 10 mm, 12 mm, and 16 mm
- Inch sizes 0.375", 0.50", and 0.625"

Cutting Heads

- Turning (CC, CC, DC, DC, VB)
- Threading (ER & EL)
- Grooving (LC)
- Parting-off (150.10)

Inserts

- TS2050 and CP500 grades with F1, MF2, and AL chipbreakers

ACHIEVE GOOD SURFACE FINISH WHEN ROUGHING

DOUBLE TURBO 16

Boost your material removal rate while achieving good surface quality with a 90° angle.

YOUR BENEFITS

- Possibly eliminate finishing operations
- High helix 11° angle creates lower power consumption
- Smooth cutting geometry creates less vibrations
- Reduce cost with double-sided inserts with 4 cutting edges
- Easy insert indexing

RANGE OVERVIEW

Cutter Bodies

- Metric range $\varnothing 32$ mm – 125 mm (19 variations)
- Inch range $\varnothing 1.25$ " – 5.0" (16 variations)
- Shanks with Weldon and cylindrical mounting
- Arbor and Combimaster™ heads

Inserts

- 16 mm (0.63") length, 7 mm (0.275") thickness
- Two available geometries
- Two radii sizes
- PVD & CVD Duratomic® grades



View our recent product videos on YouTube and download all current marketing materials via SECOTOOLS.COM/SHOWCASE.

TOOLING TO KEEP UP WITH HIGH VELOCITY ALUMINUM MILLING

NIAGARA CUTTER™ AN230/AN335

Save on cost with exceptional metal removal rates when milling aluminum.

YOUR BENEFITS

- High MRR
- Process reliability
- Superior chip control

RANGE OVERVIEW

- 94 inch uncoated end mills (AN230/AN230R and AN335/AN335R) in 0.5", 0.75", and 1.00" diameter sizes
- Standard sharp corner and aerospace radii options



ELIMINATE HOLDER BREAKAGE WHEN ROUGHING

SECO-CAPTO™ TOOLHOLDERS & CASSETTES FOR ADVANCED MATERIALS

Achieve higher cost savings by reducing the risk of damaged toolholders with stainless steel cassettes.

YOUR BENEFITS

- Flexibility from using different cassettes/insert types in the same Seco-Capto unit
- Keep processes on track with quick tool changes
- Free up stock space and save money by only replacing cassettes

RANGE OVERVIEW

- 4 Seco-Capto holders (right and left C5 and C6)
- 5 cassettes for RN and CN inserts

KEEP DRILLING COSTS LOW & VERSATILITY HIGH

UNIVERSAL DRILLS UP TO 12xD

Save on time and cost with longer tool life and versatile geometries great for most materials

YOUR BENEFITS

- PVD coating and higher heat resistance
- Cost-effective for small to medium-batch production

RANGE OVERVIEW

- $\phi 3 - 20$ mm (0.118" - 0.787")
- 3xD, 5xD, 8xD, and 12xD length to diameter ratio
- Cylindrical shank (R1)

FOR LONG TOOL LIFE AND PROCESS STABILITY

SECO ROUND 10 & 16 COPY MILLING INSERTS

The optimized design secures inserts in place, saving you money by creating reliable processes.

YOUR BENEFITS

- Process security thanks to indexed inserts
- Stability due to anti-rotation feature

RANGE OVERVIEW

Round 10

- 20 mm – 63 mm (1.00" – 2.00")
- 35 insert types
- Combimaster, arbor, Weldon, and cylindrical shank style connection types

Round 16

- 32 mm – 160 mm (2.00" – 4.00")
- 32 insert types
- Combimaster and arbor style connection types (ZFM30RE1)



RANGE ADDITIONS

OFFERING YOU BROADER APPLICATION COVERAGE FROM SECO

- XP08 Aluminum Router
- MP Milling Grades - MP1501 and Milling MP2501
- Shell Mill Holders, Small Face and Side Lock Holders
- Combimaster M20
- JETI ISO Toolholder

For a full new product listing please visit:
secomarketing.com/2020.1

TANNER

MÁQUINAS Y HERRAMIENTAS

www.tannerherramientas.com

Contact us:

CHIHUAHUA. CHIH
gerencianoroeste@tannerherramientas.com
Tel: (614) 414 2223

GUAYMAS. SON
gerencianoroeste@tannerherramientas.com
Tel: (622) 224 6081

QUERÉTARO. QRO
gerenciacentro@tannerherramientas.com
Tel: (442) 216 8862

Follow us on:



EL PASO. TX
texas@tannerherramientas.com
Tel: (915) 532 6165

MONTERREY. NL
gerencianoroeste@tannerherramientas.com
Tel: (81) 8312 1711

TORREÓN. COAH
gerenciacoah@tannerherramientas.com
Tel: (871) 169 3540